



## Customer Care

Our helpful Coram Care staff are pleased to offer technical and product advice on the full range of Coram Shower Pods. So whether you need assistance deciding which door type best suits your needs or useful installation advice our fully trained staff are always here to help.

Call direct on CORAM CARE LINE 01746 713410



Coram Shower Pods Ltd guarantees its range of pods against faulty materials or manufacture for a lifetime, provided they have been installed with a Coram Shower Door and are used and maintained in accordance with the manufacturer's instructions. 'Lifetime' means during the period of use by the original user. The use of any other shower door invalidates this guarantee. This guarantee does not affect your statutory rights.



Coram Shower Pods Limited  
Stanmore Industrial Estate, Bridgnorth, Shropshire WV15 5HP  
Tel: 01746 713400 Fax: 01746 764140  
Website: [www.coramshowerpods.co.uk](http://www.coramshowerpods.co.uk)

Due to our policy of continuous improvement, we reserve the right to change product specification without notice.



Easy to clean and  
virtually maintenance  
free showers



# Shower pods offer the ideal showering solution

Available in a range of sizes, complete with a shower door and choice of high performance thermostatic mixer shower

## A guaranteed watertight solution - without any sealant

The overlapping construction of the shower pod, together with the 'Waterguard' around the shower door provide a performance that is so unbeatable and reliable we offer a watertight lifetime guarantee.

## Easy clean and virtually maintenance free

The smooth rounded surfaces with no awkward gaps allow easy cleaning and the absence of sealant and tiling grout makes the shower pod virtually maintenance free.



## The fastest and easiest installation

The entire unit, with the shower fully connected, can be fitted in just over an hour.

## Designed and built in Britain to suit British site requirements



Many shower enclosures manufactured abroad are prone to leaks, but this is not a problem because continental bathrooms are usually fully tiled with solid concrete floors. In Britain however, where we have wooden floors and carpeted bathrooms, leaks can cause serious damage. For a guaranteed watertight shower enclosure, fit Coram – designed and built in Britain to suit British site requirements.



Shower pods come complete with a choice of high performance thermostatic mixer shower



Shower bases are totally rigid and feature a unique patent protected 'Waterguard' - an angled lip around the outer edge of the walls and showertray, which provides extra watertight protection.



Alcove Pod 1200 x 800mm with Sliding Door



Alcove Pod 800 x 800mm or 900 x 800mm with Bi-Fold Door

## A complete range of sizes and styles to suit all applications

Shower pods can be fitted either in an alcove or a corner. For alcoves we offer three sizes and for corners you have the choice of the Corner Pod on the left or the stylish Quadrant Pod shown on page 2. Each pod comes complete with a beautifully finished, high quality shower door that opens both smoothly and silently.



Shower doors feature high quality, all metal chrome handles.



The built-in shelves provide convenient, easy clean surfaces for shampoo and shower gels.



## Choose from two high performance stylish thermostatic mixer showers

With all shower pods you have the choice of two top quality thermostatic mixer showers – a surface mounted bar mixer or a built-in concentric control mixer. Both feature separate flow and temperature controls and are suitable for both low and high pressure water systems from 0.1bar – 5bar.



Thermostatic surface-mounted bar mixer shower



Thermostatic built-in concentric mixer shower



# Shower pod features

Frame: High quality corrosion resistant aluminium in polished silver finish - complies with BS6496.

Mixer valve: a choice of high performance thermostatic mixer showers suitable for both high pressure and low pressure systems. (Bar mixer shower shown)

Handle: All metal chrome handle.

Glass: toughened safety glass to BS6206 Class A.

GRP pod: glass reinforced polymer sections with specially designed overlapping joints to provide a rigid construction and to ensure a completely watertight installation.

All enclosures are power shower tested to BS6340. All doors can be left or right hand opening.

Waterguard: a unique and patented, easy clean angled edge, which ensures a completely watertight seal around the door frame without the use of sealant.

Coram Shower Pods have exceeded all requirements for life cost and installation in a number of environments ranging from leading UK house builders, educational establishments and commercial facilities. We are also an approved supplier to the MOD and NATO.



Quadrant Pod 950 x 950mm with Sliding Door

Corner Pod 800 x 800mm with Corner Entry Door

Alcove Pod 800 x 800mm with Bi-Fold Door  
Alcove Pod 900 x 800mm with Bi-Fold Door

Alcove Pod 1200 x 800mm with Sliding Door

# Fitting the shower pod

The walls and base of the shower pod are supplied in two sturdy cartons, which can easily be manoeuvred on site up stairwells and through doorways to the exact location. The pod is robustly constructed from GRP (glass reinforced polymer) and can be easily fitted in the simple stages shown below.



Position and fit the fixing batons to the wall.



Locate, level and fix the base.



Slot the side panels to the base and fix to the back wall batons, using the spacer provided to ensure that the correct gap is left for the back panel.



The back panel can then be slotted into position and secured with a single screw.



The front edges of the side panels can then be secured to the side wall batons and the fixing screws will be concealed by the door frame.

## Fitting the mixer

### Bar mixer valve - unique easy-fit system

A special mounting plate is factory fitted to the pod wall, which means that on site you simply need to connect the mixer to the hot and cold feeds with the valve nuts. On the reverse of the mounting plate flexible pipes hang down the back of the unit and these can be accessed via the removable panel at the front of the base to allow easy attachment to the piped supplies with the push-fit connectors provided. The rest of the shower fittings are then simply screw fixed.



A unique mounting plate is factory fitted to the pod wall.



The mixer simply connects to the hot and cold feeds with the valve nuts.



Flexible pipes hang down the back of the unit.



The pipes are accessed via the removable panel at the front of the base, allowing easy attachment to the piped supplies with the push-fit connectors provided.



### Built-in valve

The built-in valve is factory fitted, which means that on site you simply need to connect the mixer to the hot and cold feeds on the reverse of the valve and connect the showerhose via the bulkhead. The rest of the shower fittings are then simply screw fixed.



### Anti-ligature sprayhead

For special commercial applications an anti-ligature fixed sprayhead is also available.



## Fitting the door

Coram's shower doors have been designed to be faster and easier to fit than any other on the market, which is why Coram has become a leading provider of shower enclosures to trade installers. Each shower door is supplied fully assembled, so that on site all that is required is to fit the handle and then install it using the wall channels as shown below.



When fitting the shower door position the wall channels and drill the screw holes.



The wall channels are then slotted onto the door and screw fixed to the wall.



The door is finally secured by drilling through the wall channels into the door frame and fixing with screws.

## Site requirements and dimensions

Maximum out of plumb for all walls is 10mm. The water supply pipes and the waste connections **MUST** be in place prior to installation, positioned as shown below:

