

TECHNICAL DATA SHEET

**OPTIMA 6
DOUBLE SLIDING DOOR
SHOWER ENCLOSURE,
SIDE PANEL &
IN LINE PANEL**

**06DS15CUC
06DS16CUC
06DS17CUC**




CORAM
SHOWERS

HEIGHT & WEIGHT

PRODUCT CODE	DESCRIPTION	WEIGHT NET KG	HEIGHT (MM)	WIDTH (MM)
O6DS15CUC	OPTIMA DOUBLE SLIDING DOOR 1500MM	44	1900	1500
O6DS16CUC	OPTIMA DOUBLE SLIDING DOOR 1600MM	47	1900	1600
O6DS17CUC	OPTIMA DOUBLE SLIDING DOOR 1700MM	50	1900	1700

all dimensions are in mm

DOOR OPENING DIMENSIONS




Door Opening dimensions

PRODUCT CODE	WIDTH (MM)	DOOR OPENING (A)
O6DS15CUC	1500	553
O6DS16CUC	1600	603
O6DS17CUC	1700	653


all dimensions are in mm

DOOR ADJUSTMENT



PRODUCT CODE	OVERALL WIDTH (B)	ADJUSTMENT (DOOR)	AMOUNT OF ADJUSTMENT (PER SIDE)	INLINE PANEL (E)
O6DS15CUC	1500	1455-1495	20	315
O6DS16CUC	1600	1555-1595	20	340
O6DS17CUC	1700	1655-1695	20	365


all dimensions are in mm




DOOR PRODUCT CODE	OVERALL WIDTH (C)	ADJUSTMENT (DOOR)	AMOUNT OF ADJUSTMENT	SIDE PANEL PRODUCT CODE	SIDE PANEL OVERALL WIDTH (D)	ADJUSTMENT (SIDE PANEL)	AMOUNT OF ADJUSTMENT
O6DS15CUC	1500	1455-1475	20	O6SP70CUC	700	675-695	20
O6DS16CUC	1600	1555-1575	20	O6SP76CUC	760	735-755	20
O6DS17CUC	1700	1655-1675	20	O6SP80CUC	800	775-795	20
-	-	-	-	O6SP90CUC	900	875-895	20
-	-	-	-	O6SP10CUC	1000	975-995	20

all dimensions are in mm

Wall fixing dimension




Side Panel Fixing



Door Panel fixing

Glass thickness



6mm Glass Thickness

CUSTOMER CARELINE 01460 256080

www.coram.co.uk

technicalsupport@coram.co.uk

Coram Showers, Conquest Business Park
Cad Road, Ilton, Somerset, TA19 9EA

CORAM
SHOWERS

CORAM
SHOWERS